

## Biscuit Jointer LNF 20 in the T-MAX

ref.no.: 915601

EAN: 4032689136042

► Transport and storage box T-MAX



### Technical data

Cutting depth	18 mm
Cutting tool Ø	100 mm
Tilt range	0 - 90 °
Nominal No. of strokes – no load	9800 1/min
Nominal power input	750 W
Weight	3,2 kg
Universal motor	230 V / 50 Hz

### Delivery specification

- 1 Disk cutter, TCT, 100 x 4 x 22 mm (3 15/16 x 3/16 x 7/8 in.), 6 teeth; Ref. No. 076905
- 1 Ejection pipe; Ref. No. 076954
- 1 Hose connector; Ref. No. 076955
- 1 Dust bag; Ref. No. 076956
- 1 Screwdriver for recessed-head screws; Ref. No. 093283
- 1 Face pin spanner; Ref. No. 093119
- 1 Mains cable 4 m (13.1 ft); Ref. No. 077015

## Examples for usage



Groove height adjustment via revolving depth control turret or via scale.



The LNF 20 is supplied in the practical T-MAX.



Mitred joints with the LNF 20.



Available as a special accessory for the LNF 20: Pitch pocket cutter, Ref. No. 091793

## Applications

---

- ▶ Cutting slots for biscuits
- ▶ Cutting slots for wood patches
- ▶ Compatible materials include solid wood, board and carcass materials

## Advantages

---

- ▶ The on/off switch is easily and conveniently operated with your thumb – for right-handed and left-handed users.
- ▶ With above average 750 watt (1 hp) rating – for professional continuous use.
- ▶ Double column guide for height adjustment – ensures exact, torsion-free adjustment.

## Description

---

Now with extra features... and all conveniently integrated in the MAFELL-MAX. Ideal for the biscuit jointing fanatics amongst you!

The tilt stop can be fixed with detents of 0°, 22.5°, 45°, and 67.5° up to 90°.

Torsion-free cast angle stop and height adjustment make your work easier while 2 sturdy adjusting bolts keep your setting constant even after your 100th cut.

All you need is "on board" in the MAFELL-MAX: practical containers for your dowels, space for the optional pitch pocket cutter, anti-slip mat and of course your LNF 20.

## Accessories / Tools

---



**Disk cutter**  
100 x 4 x 22 mm (3 15/16 x 3/16 x 7/8 in.), 6  
teeth, TCT



**Perspex base plate**  
for use with the pitch pocket cutter



**Pitch pocket cutter**  
100 x 8 x 22 mm (3 15/16 x 5/16 x 7/8 in.), 2  
teeth, TCT



**Anti-slip mats**  
2 pieces

## contact

---

MAFELL AG

Beffendorfer Straße 4  
D-78727 Oberndorf / Neckar  
Germany

Tel.: +49 7423 / 812-114  
Fax: +49 7423 812-102  
Email: [export@mafell.de](mailto:export@mafell.de)