

## Electric Hand Planer MHU 82

ref.no.: 912701

EAN: 4032689061535

▶ boxed



### Technical data

Planing width	82 mm
Planing depth	0 - 3 mm
Rebate depth	22 mm
Cutter head diameter	59,5 mm
Nominal No. of strokes – no load	12000 1/min
Nominal power input	800 W
Weight	3,4 kg
Universal motor	230 V / 50 Hz

### Delivery specification

- 1 Rabbet depth stop; Ref. No. 034979
- 1 Hose connector; Ref. No. 033679
- 1 Single-end spanner 8 mm; Ref. No. 093258
- 1 Reversible knife, 1 pair, TCT; Ref. No. 091696
- 1 Mains cable 4 m (13.1 ft); Ref. No. 087323

## Examples for usage

---



Re-rebating of a door with the MHU 82.



Electric Hand Planer MHU 82 with bench stand and retractable knife guard.



Chips are simply removed by suction.

## Applications

---

- ▶ Planing and rebating
- ▶ Cutting width up to 82 mm
- ▶ Compatible materials include solid wood

## Advantages

---

- ▶ Powerful motor – problem-free continuous use.
- ▶ Handle ideally balanced – facilitates handling.
- ▶ Clean, smooth workpieces – thanks to 12 000 rpm cutter head.

## Description

---

The Electric Hand Planer for professionals! At 12000 rpm, this model gives your workpiece an impressively clean surface.

The performance data of the MHU 82 are something to be proud of: 82 mm (3 1/4 in.) planing width, 22 mm (7/8 in.) rebate depth and planing depth of up to 3 mm (1/8 in.).

Also with the MHU 82: The 800 watt (1.1 hp) high-powered motor was developed, produced and assembled at MAFELL to give the planer the right pulling power.

With the MHU 82-SET you can even carry out stationary work!

## Accessories / Tools

---



Fence with straight angle  
attached, 0 - 45° adjustment



Clamping device  
1 piece, for Ref. No. 091696, 091697



Fence with straight angle  
attached, 90° fixed



Reversible knives 82 x 5,5 x 1,1 mm; 2  
pcs.  
1 pair, TCT



Reversible knives 82 x 5,5 x 1,1 mm; 6  
pcs.  
3 pairs, TCT



Bench stand with retractable knife  
guard  
and 2 screw clamps



Screw clamp  
for bench stand



Dust bag



Hose connector  
inner Ø 38 mm (1 1/2 in.)

## contact

---

MAFELL AG

Beffendorfer Straße 4  
D-78727 Oberndorf / Neckar  
Germany

Tel.: +49 7423 / 812-114  
Fax: +49 7423 812-102  
Email: [export@mafell.de](mailto:export@mafell.de)