	FARMICOL SPA	Revision nr. 5
Farmicol		
		Dated 24/05/2016
	ARTIC FLU -5	Printed on 08/09/2016
		Page n. 1/11

Safety data sheet

SECTION 1. Identification	of the substance/mixture and	of the company/undertaking.
---------------------------	------------------------------	-----------------------------

1.1.	Product	identifier.
	. Iouuct	idelitiidi.

Product name.

ARTIC FLU -5

1.2. Relevant identified uses of the substance or mixture and uses advised against. Protective antifreeze.

Intended use.

1.3. Details of the supplier of the safety data sheet.

Name. Full address **FARMICOL SPA** Corso Europa 85/91

District and Country.

20020 Solaro (Mi) Italia

Tel. 0039 02 84505 Fax. 0039 02 84505479

e-mail address of the competent person.

responsible for the Safety Data Sheet.

laboratorio@farmicol.com - lubrilab@farmicol.com

1.4. Emergency telephone number.

For urgent inquiries refer to.

0039 02 84505

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments. Hazard classification and indication:

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

Signal words:

Hazard statements:

EUH210

Safety data sheet available on request.

Precautionary statements:

	FARMICOL SPA	Revision nr. 5
Farmicol		
		Dated 24/05/2016
Ī	ARTIC FLU -5	Printed on 08/09/2016
		Page n. 2/11

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant

3.2. Mixtures.

Contains:

Identification.

Conc. %.

Classification 1272/2008

(CLP).

ETHANEDIOL

CAS. 107-21-1

5 - 10

Acute Tox. 4 H302, STOT RE

2 H373

EC. 203-473-3

INDEX. 603-027-00-1

Reg. no. 01-2119456816-28

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

	FARMICOL SPA	Revision nr. 5
Farmicol		
		Dated 24/05/2016
	ARTIC FLU -5	Printed on 08/09/2016
	,	Page n. 3/11

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

	FARMICOL SPA	Revision nr. 5
Farmicol		1
		Dated 24/05/2016
	ARTIC FLU -5	Printed on 08/09/2016
		Page n. 4/11

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

CZE	Česká Republika	Nařízení vlády č. 361/2007 Sb. kterým se stanoví podmínky ochrany
DEU DNK ESP	Deutschland Danmark España	zdraví při práci MAK-und BAT-Werte-Liste 2012 Graensevaerdier per stoffer og materialer INSHT - Límites de exposición profesional para agentes químicos en España 2015
FRA GBR GRC	France United Kingdom Ελλάδα	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102 EH40/2005 Workplace exposure limits ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9 Φεβρουαρίου 2012
HRV ITA POL	Hrvatska Italia Polska	NN13/09 - Ministarstvo gospodarstva, rada i poduzetništva Decreto Legislativo 9 Aprile 2008, n.81 ROZPORZĄDZENIE MINISTRA PRACY I POLITYKI SPOŁECZNEJ z dnia 16 grudnia 2011r
EU	OEL EU TLV-ACGIH	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC. ACGIH 2014

ETHANEDIOL

	Threshold Limit Value. Type	Country	TWA/8h		STEL/15min			
			mg/m3	ppm	mg/m3	ppm		
	TLV	CZE	50		100		SKIN.	
	AGW	DEU	26	10	52	20	SKIN.	
	MAK	DEU	26	10	52	20	SKIN.	
1								

Farmicol		PARIVICOL SPA			Revision nr. 5 Dated 24/05/2016	
			ARTI	C FLU -5		Printed on 08/09/2016 Page n. 5/11
TLV	DNK	26	10			SKIN.
VLA	ESP	52	20	104	40	SKIN.
VLEP	FRA	52	20	104	40	SKIN.
WEL	GBR	52	20	104	40	
TLV	GRC	125	50	125	50	
GVI	HRV	52	20	104	40	SKIN.
TLV	ITA	52	20	104	40	SKIN.
NDS	POL	15		20		
OEL	EU	52	20	104	40	SKIN.
TLV-ACGIH				100 (C)		

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION

None required.

SKIN PROTECTION

None required.

EYE PROTECTION

None required.

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance liquid Colour blu/green Odour odourless Odour threshold. Not available. Melting point / freezing point. Not available. Initial boiling point. Not available. Boiling range. Not available. Flash point. 110 > T ≤ 0 °C. **Evaporation Rate** Not available. Flammability of solids and gases Not available. Lower inflammability limit. Not available. Upper inflammability limit. Not available.

	FARMICOL SPA	Revision nr. 5
Farmicol		
		Dated 24/05/2016
	ARTIC FLU -5	Printed on 08/09/2016
		Page n. 6/11

Lower explosive limit. Not available. Upper explosive limit. Not available. Vapour pressure. Not available. Vapour density Not available. Relative density. 1,011 Kg/l Solubility soluble in water Partition coefficient: n-octanol/water Not available. Auto-ignition temperature. Not available. Decomposition temperature. Not available Viscosity Not available. Explosive properties Not available.

9.2. Other information.

Oxidising properties

Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

ETHANEDIOL: can absorb atmospheric humidity up to twice its own weight. Decomposes at temperatures over 200°C/392°F.

Not available.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANEDIOL: risk of explosion on contact with: perchloric acid. Can react dangerously with: chlorosulphuric acid, sodium hydroxide, sulphuric acid, phosphorus pentasulphide, chromium (III) oxide, chromyl chloride, potassium perchlorate, potassium dichromate, sodium peroxide, aluminium. Forms explosive mixtures with the air.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

ETHANEDIOL: avoid exposure to sources of heat and naked flames.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

	FARMICOL SPA	Revision nr. 5
Farmicol		
		Dated 24/05/2016
	ARTIC FLU -5	Printed on 08/09/2016
		Page n. 7/11

ETHANEDIOL: hydroxyacetaldehyde, glyoxal, acetaldehyde, methane, carbon monoxide, hydrogen.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

ETHANEDIOL: following ingestion it initially stimulates the CNS; later on depression results. Renal damage with anuria and uremia may occur. Symptoms of over exposure are: vomiting, somnolence, difficulty in breathing, convulsions. The lethal dose in man is approximately 1,4 l/kg. The way of entry is inhalation and ingestion.

ETHANEDIOL LD50 (Oral).> 2000 mg/kg Rat LD50 (Dermal).9530 mg/kg Rabbit

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability.

ETHANEDIOL

Solubility in water.

mg/l 1000 - 10000

Rapidly biodegradable.

12.3. Bioaccumulative potential.

ETHANEDIOL

Partition coefficient: n-

-1,36

octanol/water.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

	FARMICOL SPA	Revision nr. 5
Farmicol	TAKIMOOL OF A	
		Dated 24/05/2016
	ARTIC FLU -5	Printed on 08/09/2016 Page n. 8/11
		age ii. or i
On the basis of available data, the prod	duct does not contain any PBT or vPvB in percentage greater than 0,1%.	
12.6. Other adverse effects.		
Information not available.		
SECTION 13. Disposal co	onsiderations.	
13.1. Waste treatment methods.		
Reuse when possible Neat product re	sidues should be considered special non-hazardous waste.	
Disposal must be performed through ar CONTAMINATED PACKAGING	n authorised waste management firm, in compliance with national and local reg	ulations.
	vered or disposed of in compliance with national waste management regulation	IS.
SECTION 14. Transport in	nformation.	
14.1. UN number.		
14.1. ON number.		
Not applicable.		
Not applicable.		
14.2. UN proper shipping name.		
and the base of the same of th		
Not applicable.		
14.3. Transport hazard class(es).		
Not applicable.		
14.4. Packing group.		
Not applicable.		
14.5. Environmental hazards.		
Not applicable.		
14.6. Special precautions for user.		

	FARMICOL SPA	Revision nr. 5	
Farmicol		Dated 24/05/2016	
	ARTIC FLU -5	Printed on 08/09/2016	
	7.1.7.10 1 20 0	Page n. 9/11	
Not applicable.			
14.7. Transport in bulk according to	Annex II of Marpol and the IBC Code.		
Information and valoused			
Information not relevant.			
SECTION 15. Regulatory	information.		
15.1. Safety, health and environme	ental regulations/legislation specific for the substance or mixture.		
Seveso category.	None.		
Restrictions relating to the product or c	ontained substances pursuant to Annex XVII to EC Regulation 1907/2006.		
None.			
Substances in Candidate List (Art. 59 F	REACH).		
None.			
Substances subject to authorisarion (A	nnex XIV REACH).		
None.			
Substances subject to exportation repo	rting pursuant to (EC) Reg. 649/2012:		
None.			
Substances subject to the Rotterdam C	convention:		
None.			
Substances subject to the Stockholm C	convention:		
None.			
Healthcare controls.			
Information not available.			
information flot available.			
15.2. Chemical safety assessment.			
No chemical safety assessment has be	en processed for the mixture and the substances it contains.		
SECTION 16. Other information.			
Text of hazard (H) indications mentione	d in section 2-3 of the sheet:		

	FARMICOL SPA	Revision nr. 5
Farmicol		
		Dated 24/05/2016
	ARTIC FLU -5	Printed on 08/09/2016
		Page n. 10/11

Acute Tox. 4

Acute toxicity, category 4

STOT RE 2

Specific target organ toxicity - repeated exposure, category 2

H302

Harmful if swallowed.

H373

May cause damage to organs through prolonged or repeated exposure.

EUH210

Safety data sheet available on request.

LEGEND:

ADR: European Agreement concerning the carriage of Dangerous goods by Road

CAS NUMBER: Chemical Abstract Service Number

CE50: Effective concentration (required to induce a 50% effect)

CE NUMBER: Identifier in ESIS (European archive of existing substances)

CLP: EC Regulation 1272/2008

DNEL: Derived No Effect Level

EmS: Emergency Schedule

GHS: Globally Harmonized System of classification and labeling of chemicals

IATA DGR: International Air Transport Association Dangerous Goods Regulation

IC50: Immobilization Concentration 50%

IMDG: International Maritime Code for dangerous goods

IMO: International Maritime Organization

INDEX NUMBER: Identifier in Annex VI of CLP

LC50: Lethal Concentration 50%

LD50: Lethal dose 50%

OEL: Occupational Exposure Level

PBT: Persistent bioaccumulative and toxic as REACH Regulation

PEC: Predicted environmental Concentration

PEL: Predicted exposure level

PNEC: Predicted no effect concentration

REACH: EC Regulation 1907/2006

RID: Regulation concerning the international transport of dangerous goods by train

TLV: Threshold Limit Value

TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.

TWA STEL: Short-term exposure limit

TWA: Time-weighted average exposure limit

VOC: Volatile organic Compounds

vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
 Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products