

Electric Hand Planer MHU 82 in the T-MAX

ref.no.: 912710

EAN: 4032689123332

Transport and storage box T-MAX









Technical data

Planing width	82 mm
Planing depth	0 - 3 mm
Rebate depth	22 mm
Cutter head diameter	59,5 mm
Nominal No. of strokes – no load	12000 1/min
Nominal power input	800 W
Weight	3,4 kg
Universal motor	230 V / 50 Hz

Delivery specification

- 1 Rabbet depth stop; Ref. No. 034979
- 1 Hose connector; Ref. No. 033679
- 1 Single-end spanner 8 mm; Ref. No. 093258
- 1 Reversible knife, 1 pair, TCT; Ref. No. 091696

1/5 mafell@mafell.de



Examples for usage



Re-rebating of a door with the MHU 82.



Electric Hand Planer MHU 82 with bench stand and retractable knife guard.



Chips are simply removed by suction.



Complete as a set in the T-MAX. Ref. No. 912714.

mafell@mafell.de 2 / 5



Applications

- Planing and rebating
- Cutting width up to 82 mm
- ▶ Compatible materials include solid wood

Advantages

- ▶ Powerful motor problem-free continuous use.
- ▶ Handle ideally balanced facilitates handling.
- ▶ Clean, smooth workpieces thanks to 12 000 rpm cutter head.

Description

The Electric Hand Planer for professionals! At 12000 rpm, this model gives your workpiece an impressively clean surface.

The performance data of the MHU 82 are something to be proud of: 82 mm (3 1/4 in.) planing width, 22 mm (7/8 in.) rebate depth and planing depth of up to 3 mm (1/8 in.).

Also with the MHU 82: The 800 watt (1.1 hp) high-powered motor was developed, produced and assembled at MAFELL to give the planer the right pulling power.

With the MHU 82-SET you can even carry out stationary work!

mafell@mafell.de 3 / 5



Accessories / Tools



Fence with straight angle attached, 0 - 45° adjustment



Fence with straight angle attached, 90° fixed



Reversible knives 82 x 5,5 x 1,1 mm; 6 pcs.

3 pairs, TCT



Screw clamp for bench stand



Hose connector inner Ø 38 mm (1 1/2 in.)



Clamping device

1 piece, for Ref. No. 091696, 091697



Reversible knives 82 x 5,5 x 1,1 mm; 2 pcs.

1 pair, TCT



Bench stand with retractable knife guard

and 2 screw clamps



Dust bag

mafell@mafell.de 4 / 5



contact

MAFELL AG

Beffendorfer Straße 4 D-78727 Oberndorf / Neckar Germany Tel.: +49 7423 / 812-114 Fax: +49 7423 812-102 Email: export@mafell.de

mafell@mafell.de 5 / 5